

قطاع التنوع الغذائي رقم التسجيل: AUD-AD-140-2023 وقطاع التنوع الغذائي التاريـــخ: 08-08-2022 والصحة الزراعية

كيميائى مقيد

شهادة تسحيل مييــد

مبيد آفات صحة عامة (قوارض)

تشهد وزارة التغرر المناحى والبيئة بأن المبيد بالمواصفات التالية

الاسم التجاري للمبيد: SUREFIRE BROMA BLOCKS RODENTICIDE

بادالت مد التمد يل: استراليا

المواد الفعالة و تركيزها: BROMADIOLONE 0.05g/kg

28772-56-7 :CAS RN

صـــورة المستحضر: BAIT

حجم العبوة: كيلو جرام 1,5

بلد (التسجيل/المنشأ) والشركة المنتجة: استراليا - PCT HOLDING PTY LTD

الشركة المحلية المستوردة: الخريف الاخضر الزراعية

تاريخ إصدار الشهادة: 2022-08-08 صالحة حتى: 2027-07-30

م لاح ظ الستخدام

وجد مطابقا لنظام تسجيل المبيدات المتبع لديها وقد أعطيت له هذه الشهادة بناء على ذلك.

للحظات:

يعاد تقيم المبيد كل خمس سنوات حتى يتم تجديد هذه الشهادة بعد ذلك.
 تلغى هذه الشهادة في حالة شطب أو سحب المبيد من قبل المنظمات والهيئات العالمية المختصة في تسجيل المبيد أو ثبت للوزارة تدهور المبيد أثناء فترة صلاحيته تحت الظروف البيئية للدولة أو ثبت أن لديه أثار جانبية ضارة

سددت الرسوم 3063.06 درهم

رقم إيصال الشهادة: 22125361716132793270

تاريخ إيصال الشهادة: 2022-07-31

رمز التحقق: 3785-208



للتحقق من صحة بيانات هذا المستند يرجي مسح الشيفرة أو زيارة موقع الوزارة

مدير إدارة الشؤون البلدية

To verify this document please scan the QR code or visit the ministry's website

هذا المستند معتمد إلكترونيا ولا يحتاج إلى توقيع أو ختم

This document is electronically approved and does not require signature or stamp

RESTRICTED USE PESTICIDE

FOR RETAL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSON UNDER THEIR DIRECT SUPERVISION

لبيعه والاستخدام فقط من قبل مرخصين او تحت اشرافهم الفني المباشر

مبيد شور فير يرومــا "مكعبات "

Surefire Broma Blocks Rodenticide

مبيد افات صحة عامة (قوارض)



FORMULATION TYPE Active Ingredient:

هينة المستحضر المادة الفعالة

BROMAADILONE

INERT INGREDIANT(S) (BITTERING AGENT)

0.05 GM/KG 99.95 GM/KG

بروما ديلون المواد الحاملة

Total

اجمالي

KEEP OUT OF REACH OF CHLIDREN

بحفظ يعيدا عن متناول الاطفال

رقم التسجيل بوزارة التغير المناخي والبينة.

Registration no at MOCCAE (AUD-AD-140-2023)



MANUFACTURING COMPANY

الشركة المنتحة

PCT HOLDING PTY LTD- AUSTRAIA

بى ست تى هولدينج -استراليا

LOCAL DISTRIBUTER

الموزع المحلى:

ALKHAREEF ALAHDER AGRICULTURE KAE



موسسة الخريف الاخضر الزراعية - ابوظبي

هاتف: 024454911 ، فاكس 024459943 ، ص ب 53739 أبوظبي// TELE: 024454911 , FAX: 024459943 , PO BOX 53739 AD

المحتوى الصافى (1 KG) المحتوى الصافى

PRECAUTIONARY STATEMENT البيانات التوجيهية والتحذيرية:-

إجراءات السلامة:

- استخدام الملابس الواقية والنظارات وكفوف الرش. Use spraying clothes and tools

- عدم الأكل والشرب خلال عملية الرش. Do not eat and drink during the application

- تجنب ملامسة الأطفال له وعدم الرش بوجودهم. Don't spray when their children.

- لا يتحمل المنتج أو الوكيل أي أثر ناتج عن سوء الإستخدام ومخالفة تطيمات الرش.

Agent will not be responsible if the user don't follow the instruction.

Direction For Use

طريقة الاستخدام بروما ذو المكعبات الشمعية مبيد القوارض من وهو لمكافحة الفنران كبيرة وصغيرة الحجم عن طريق جهازي و يستخدم مبيد بروما لمكافحة الفنران عن طريق تحلل الدم الذي يبدء بعد عدة ساعات مما يؤدي الى تغذي العديد من القوارض والفنران عليه ويكون القضاء

BROMA WAX BLOCKS to control on all Rodents by eating the blocks which will take many hours to start blood anticoagulation which will allow too many Rodents to feed on

الإجراءات التي يتعين اتخاذها عقب المعاملة - يجب المعاملة من قبل فني مختص واستخدام المبيد من خلال عبواته الأصلية. Must be applied by technical person in his original bottle - تحديد المناطق مرور الفنران بها والتهام الطعم.

Determine the area where rates will most likely find and consume bait

- يجب حماية الطعم من الكطر والرطوبة واستبدال الطعم الملوث فورا. Must protect bait from rain or moisture, replace contaminated or spoiled bait immediately.

- الطعم يوضع لمدة اسبوعين على الاقل لتقليل اعداد الفنران. Baiting for at least two weeks is necessary to reduce

rat/mouse number.

uses

الاستخدام

الإسعافات الأولية: First Aid

عند الإبتلاع: يجب نقل المصاب مباشرة إلى الطبيب.

IF swallowed: move the person to the doctor

عند الاستنشاق: نقل المصاب الى الهواء If inhaled: move the person to fresh air

عند ملامسة الجلد: تخلع الملابس الملوثة ويغسل العضو

المصاب جيدأ بالماء والصابون If on skin: remove the clothes and wash with water and soap the infected part

عند ملامسة العيون: تضل العين جيداً بكمية وافرة من الماء ويجب

If in the eyes: wash the eyes with water

الجرعة المضادة ANTI DOE: Vitamin K1 (phytomenadione) فيامين ك 1 فيتو مناديون

STORAGE AND DISPOSAL

التخزين والتخلص من العسوات:

يجب التخلص من العبوات بتسليمها الى شركة متخصصه في التخلص من

Must get rid of it's to hand it to special waste company to dispose it

يجب حفظ هذا المبيد في عبواته الأصلية داخل مخزن جيد التهوية ويعيدا عن متناول الأطفال ومن لا شأن لهم به.

Keep it in its original bottles; store it in good aerated store.

CROP/SITE المحصول	PestS الإفلاد	USES RATE معدل الاستخدام	PHI/SAFTEY PERIOD فترة الإمان
الضاعية والتجزية ويبوت الصناعية والتجزية ويبوت الصناعية والتجزية ويبوت والإصطاق والإصطاق المتنا المتنا المتنا المتنا المتنا والمتنا المتنا والمتنا وا	الظنران غيرة الحجم RODENTES BAIT /4 BLOCK STATION الشران المسغيرة MICE INFESTATION FROM (2-4)	 ۵ کتل او تکثر لمحطة الطعم الواح 2 الل ۵ کتل لکل منطقة مصابة مصابة مصابة<td>نوج<u>د</u> N/A</td>	نوج <u>د</u> N/A

WARRANTY STATEMNT:

تضمن الشركة المنتجة ثبات المواصفات الكيميانية والفيزيانية لهذا المبيد وسلامته في عبواته الأصلية في التخزين العادي طيلة فترة صلاحيته تحت ظروف دولة الإمارات

The agent will warranty the products and its formulation chemical and physical properties if it's kept in his original bottles under the recommended storage facilities.

BATCH NO	رقم التشغيلة
PRODUCTION DATE	تاريخ الإنتاج
EXPIRY DATE	تاريخ الإنتهاء

Product Name: SureFire Broma Blocks Rodenticide

Page: 1 of 5

Phone: 1800 630 877

This version issued: September, 2015

Section 1 - Identification of the Material and Supplier

PCT Holdings Pty Ltd

1/74 Murdoch Circuit

Acacia Ridge QLD 4110 AUSTRALIA

Chemical nature:

Bromadiolone (an anticoagulant) in a wax based extruded block.

Trade Name:

SureFire Broma Blocks Rodenticide

APVMA Code:

64849

Product Use:

Rodenticide for use as described on the product label.

Creation Date:

September, 2015

This version issued:

September, 2015 and is valid for 5 years from this date.

Poisons Information Centre: Phone 13 1126 from anywhere in Australia

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Xn, Harmful. Hazardous according to the criteria of SWA.

Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

Risk Phrases: R33, R21/22, R52. Danger of cumulative effects. Harmful in contact with skin and if swallowed. Harmful to aquatic organisms.

Safety Phrases: S2, S20, S22, S37, S45, S24/25. Keep out of reach of children. When using, do not eat or drink. Do not breathe dust. Wear suitable gloves. In case of accident or if you feel unwell, contact a doctor or Poisons Information Centre immediately (show this SDS where possible). Avoid contact with skin and eyes.

SUSMP Classification: S6

ADG Classification: None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG)

Code, IATA or IMDG/IMSBC criteria. **UN Number:** None allocated





GHS Signal word: WARNING

HAZARD STATEMENT:

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H373: May cause damage to organs through prolonged or repeated exposure.

H402: Harmful to aquatic life.

PREVENTION

P102: Keep out of reach of children.

P260: Do not breathe dusts.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash contacted areas thoroughly after handling. P270: Do not eat, drink or smoke when using this product.

P281: Use personal protective equipment as required.

RESPONSE

P314: Get medical advice or attention if you feel unwell.

P322: Specific measures; Vitamin K is antidotal.

P330: Rinse mouth.

P352: Wash with plenty of soap and water.

P363: Wash contaminated clothing before reuse.

P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

STORAGE

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

SAFETY DATA SHEET

Issued by: PCT Holdings Pty Ltd

Phone: 1800 630 877

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Product Name: SureFire Broma Blocks Rodenticide

Page: 2 of 5

This version issued: September, 2015

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Emergency Overview

Physical Description & Colour: Blue wax blocks.

Odour: Sweet seed odour.

Major Health Hazards: danger of cumulative effects, harmful in contact with skin, and if swallowed.

Section 3 - Composition/Information on Ingredients						
Ingredients	CAS No	Conc,%	TWA (mg/m³)	STEL (mg/m³)		
Bromadiolone	28772-56-7	0.05g/kg	not set	not set		
Bitrex	3734-33-6	<1	not set	not set		
Other non hazardous ingredients	secret	to 100	not set	not set		

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

Vitamin K is antidotal.

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact: Gently brush away excess particles. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact: Quickly and gently brush particles from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

Information for doctor: Administer Vitamin K intramuscularly or orally for several weeks with regular monitoring of the coagulation parameters and prothrombin times. Symptoms include anaemia, excessive bleeding from minor cuts, nose & gum bleeding.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point: >100°C
Upper Flammability Limit: No data.
Lower Flammability Limit: No data.
Autoignition temperature: No data.

No data.

Flammability Class:

Page: 3 of 5

This version issued: September, 2015

Section 6 - Accidental Release Measures

Accidental release: This product is sold in small packages, and the accidental release from one of these is not usually a cause for concern. For minor spills, clean up, rinsing to sewer and put empty container in garbage. Although no special protective clothing is normally necessary because of occasional minor contact with this product, it is good practice to wear impermeable gloves when handling chemical products. In the event of a major spill, prevent spillage from entering drains or water courses and call emergency services.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

SWA Exposure Limits

TWA (mg/m³)

STEL (ma/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Bromadiolone is set at 0.000002mg/kg/day. The corresponding NOEL is set at 0.004mg/kg/day.

The ADI for Bitrex is set at 0.0005mg/kg/day. The corresponding NOEL is set at 0.5mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, June 2014.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when this product is being used.

Skin Protection: The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

Protective Material Types: There is no specific recommendation for any particular protective material type. Respirator: If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable dust mask.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

Section 9 - Physical and Chemical Properties:

Physical Description & colour: Blue w

Odour:

Blue wax blocks. Sweet seed odour.

Boiling Point:

No specific data. Expected to decompose before boiling.

Freezing/Melting Point:

>45°C

Volatiles:

No specific data. Expected to be low at 100°C. Negligible at normal ambient temperatures.

Vapour Pressure: Vapour Density:

Not applicable.

Specific Gravity: Water Solubility:

No data. Insoluble.

pH:

No data.

Volatility:

Negligible at normal ambient temperatures.

Odour Threshold:

No data.

Evaporation Rate:

Not applicable.

Coeff Oil/water Distribution:

No data

Viscosity:

Not applicable.

SAFETY DATA SHEET

Issued by: PCT Holdings Pty Ltd

Phone: 1800 630 877

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Page: 4 of 5

This version issued: September, 2015

Autoignition temp:

No data

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Protect this product from light. Store in the closed original container in a dry, cool, wellventilated area out of direct sunlight.

Incompatibilities: strong bases.

Fire Decomposition: Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Bromine compounds. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death, Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Local Effects:

Target Organs:

There is no data to hand indicating any particular target organs.

Potential Health Effects

Inhalation:

Short Term Exposure: Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

Long Term Exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short Term Exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. In addition product is unlikely to cause any discomfort in normal use.

Long Term Exposure: No data for health effects associated with long term skin exposure.

Eve Contact:

Short Term Exposure: This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short Term Exposure: Ingestion of large quantities of the product may cause nausea, vomiting, thirst, bleeding gums, increased tendency to bruise, and excessive bleeding from minor cuts and abrasions.

Long Term Exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA. NTP: No significant ingredient is classified as carcinogenic by NTP. IARC: No significant ingredient is classified as carcinogenic by IARC.

Classification of Hazardous Ingredients

Ingredient

Risk Phrases

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

Chronic Toxicity: This product accumulates in body tissues, and has a

Toxicity: Tests on rats show this product is very toxic following a single dose of the active ingredient.

long half-life (150 to 200 days). There is a risk of accumulation of repeated small doses over a long period of exposure leading to toxic levels within the body.

The following is for Bromadiolone, the active ingredient in this product.

Reproductive Effects: No evidence in mammals.

Teratogenic Effects: **Mutagenic Effects:**

No evidence in mammals. No evidence in mammals.

Carcinogenic Effects:

No evidence in mammals.

Carcinogenic status:

This product is not considered to be a carcinogen.

Animal Toxicity Data: LD₅₀ rat (oral) 1.12 mg/kg bw

LD₅₀ mouse (oral) 1.75 mg/kg bw

SAFETY DATA SHEET

Issued by: PCT Holdings Pty Ltd

Phone: 1800 630 877 Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Page: 5 of 5

This version issued: September, 2015

Section 12 - Ecological Information

acute oral LD50

This product is harmful to aquatic organisms. This product is not readily biodegradable.

Effects on Birds: Bromadiolone is very toxic to birds and other wildlife.

LC50 feeding

Mallard Ducks (21day observ.) 1000ppm

1000ppm

Japanese quail (14 day observ.)

1600

464ppm

Effects on Aquatic Organisms:

Bromadiolone is very toxic to aquatic organisms. Do not contaminate waterways with the product.

96-hour exposure resulted in the following LC50 values:

Species Rainbow trout (96h) LC50 mg/L 1.4 mg/L

Bluegill sunfish (96h) Daphnia magna 48h (EC50) 3.0 mg/L 0.0017

Environmental Persistence & Degradation:

Bromadiolone is not expected to volatilize from dry soil surfaces (SRC) as it has a very low vapour pressure. Bromadiolone is not persistent in soil under aerobic conditions (half-life 14 days), and can generally be considered immobile except in soils of low organic matter and clay, such as sand.

Section 13 - Disposal Considerations

Disposal: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Section 14 - Transport Information

UN Number: This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations. The following ingredients: Bromadiolone, Bitrex, are mentioned in the SUSMP.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code

Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)

AICS SWA Australian Inventory of Chemical Substances Safe Work Australia, formerly ASCC and NOHSC

CAS number **Hazchem Code** Chemical Abstracts Service Registry Number

Emergency action code of numbers and letters that provide information to emergency services especially firefighters

IARC

International Agency for Research on Cancer

NOS NTP

Not otherwise specified

National Toxicology Program (USA)

R-Phrase

Risk Phrase

SUSMP

Standard for the Uniform Scheduling of Medicines & Poisons

UN Number United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE. THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (December 2011)

Copyright © Kilford & Kilford Pty Ltd, September, 2015.

http://www.kilford.com.au/ Phone (02)9251 4532

SAFETY DATA SHEET

Issued by: PCT Holdings Pty Ltd

Phone: 1800 630 877