



رقم التسجيل : DXB-AD-140-1929802
التاريخ : 10-01-2023

قطاع التنوع الغذائي
إدارة التنمية والصحة الزراعية

مقيد	كيميائي	تسجيل مبيد
		مبيد آفات صحة عامة (قوارض)
		تشهد وزارة التغير المناخي والبيئة بأن المبيد بالمواصفات التالية
		الاسم التجاري للمبيد : Maxirat Plus 5.0 Bloque
		بلد التسجيل : اسبانيا
		المواد الفعالة وتركيزها : Brodifacoum 0.005%
		CAS RN : 56073-10-0
		صورة المستحضر : blocks bait
		حجم العبوة : كيلو جرام 1,5
		بلد (التسجيل/المنشأ) والشركة المنتجة : اسبانيا - Laboratorios Agrochem S.L
		الشركة المحلية المستوردة : Ecovar Trading LLC
		تاريخ إصدار الشهادة : 10-01-2023
		صالحة حتى : 01-07-2024
		ملاحظات : لا يوجد

وجد مطابقا لنظام تسجيل المبيدات المتبع لديها وقد أعطيت له هذه الشهادة بناء على ذلك.

ملاحظات :

- يعاد تقييم المبيد كل خمس سنوات حتى يتم تجديد هذه الشهادة بعد ذلك.
- تلغى هذه الشهادة في حالة شطب أو سحب المبيد من قبل المنظمات والهيئات العالمية المختصة في تسجيل المبيد أو ثبت للوزارة تدهور المبيد أثناء فترة صلاحيته تحت الظروف البيئية للدولة أو ثبت أن لديه آثار جانبية ضارة

سددت الرسوم 1208.57 درهم

رقم إيصال الشهادة : 371163950919900293

تاريخ إيصال الشهادة : 29-12-2022

مدير إدارة الشؤون البلدية

رمز التحقق :



للتحقق من صحة بيانات هذا
المستند يرجى مسح الشيفرة
أو زيارة موقع الوزارة

To verify this document
please scan the QR code
or visit the ministry's website

هذا المستند معتمد إلكترونياً ولا يحتاج إلى توقيع أو ختم

This document is electronically approved and does not require signature or stamp

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019
Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 1 of 12
Print date: 11/06/2020

SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)

1.2 Relevant identified uses of the mixture and uses advised against.

Rodenticide bait for rodent pest control.

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: **LABORATORIOS AGROCHEM S.L.**
Address: C/ Tres Rieres, 10 - Pol. Ind. Sud
City: Esparreguera
Province: Barcelona
Telephone: +34 93 777 48 53
Fax: +34 93 777 50 59
E-mail: laboratorio@agrochem.es
Web: www.agrochem.es

1.4 Emergency telephone number: Instituto Nacional de Toxicología. Madrid. + 34 91 562 04 20 (Available 24 hours)
Servicio de Información Toxicológica (Instituto Nacional de Toxicología y Ciencias Forenses) Teléfono: +34 91 5620420.
Información en español (24h/365 días). Únicamente con la finalidad de proporcionar respuesta sanitaria en caso de urgencia.
Toxicology National Institute (Spain): + 34 91 562 04 20

SECTION 2: HAZARDS IDENTIFICATION.

Anticoagulant product derived from coumarin that inhibits vitamin K metabolism and blocks prothrombin formation.

2.1 Classification of the mixture.

In accordance with Regulation (EU) No 1272/2008:

Repr. 1A : May damage fertility or the unborn child.

STOT RE 2 : May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



Signal Word:

Danger

H statements:

H360D

May damage the unborn child.

H373

May cause damage to organs through prolonged or repeated exposure.

P statements:

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P103

Read label before use.

P201

Obtain special instructions before use.

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313

IF exposed or concerned: Get medical advice/attention.

P314

Get medical advice/attention if you feel unwell.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019

Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 2 of 12

Print date: 11/06/2020

P405 Store locked up.
P501 Dispose of contents/container to ...

Contains:
Brodifacoum

Active substances:

Sorbic Acid, 0,1%;
bronopol (INN); 2-bromo-2-nitropropane1,3-diol, 0,05%;
Brodifacoum, 0,005%;

2.3 Other hazards.

The product may have the following additional risks:
May form explosible dust-air mixture if dispersed.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	specific concentration limit
CAS No: 57-50-1 EC No: 200-334-9	[1] sucrose	2.5 - 10 %	-	-
CAS No: 102-71-6 EC No: 203-049-8 Registration No: 01-2119486482-31-XXXX	[1] 2,2',2''-nitrioltriethanol	0 - 2.5 %	-	-
Index No: 603-085-00-8 CAS No: 52-51-7 EC No: 200-143-0	bronopol (INN), 2-bromo-2-nitropropane1,3-diol	0 - 1 %	Acute Tox. 4 *, H312 - Acute Tox. 4 *, H302 - Aquatic Acute 1, H400 (M=10) - Eye Dam. 1, H318 - Skin Irrit. 2, H315 - STOT SE 3, H335	-
Index No: 607-172-00-1 CAS No: 56073-10-0 EC No: 259-980-5 Registration No: Reg, (EU) 2017/1381	Brodifacoum	0.003 - 0.02 %	Acute Tox. 1, H310 - Acute Tox. 1, H330 - Acute Tox. 1, H300 - Aquatic Acute 1, H400 (M=10) - Aquatic Chronic 1, H410 (M=10) - Repr. 1A, H360D - STOT RE 1, H372(sangre)	Repr. 1A, H360D: C ≥ 0,003 % STOT RE 1, H372(sangre): C ≥ 0,02 % STOT RE 2, H373(sangre): 0,002 % ≤ C < 0,02 %

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

* See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

[1] Substance with a Community workplace exposure limit (see section 8.1).

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019
Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 3 of 12
Print date: 11/06/2020

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

Delayed effects may occur after the exposure to the product.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Long-term chronic exposure may result in injury to certain organs or tissues. Substance is an anticoagulant and the risk is a potential internal haemorrhage. Could be absorbed in contact with the skin and cause internal haemorrhage. If swallowed serious risk of internal haemorrhage. Other symptoms: pallor, abdominal or back pain.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

As a rule, symptomatic treatment for compensating the observed effects.

Stomach-wash if haemorrhage symptoms are not observed.

In the event of haemorrhages, inject vitamin K1, control coagulation time, and if necessary give fresh blood transfer.

Antidote: VITAMINA K1 (Phytomenadione).

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO₂. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019

Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 4 of 12

Print date: 11/06/2020

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorized persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Formulated product for rodent pest control

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
sucrose	57-50-1	España [1]	Eight hours		10
			Short term		
2,2',2''-nitrilotriethanol	102-71-6	España [1]	Eight hours		5
			Short term		

[1] Según la lista de Valores Límite Ambientales de Exposición Profesional adoptados por el Instituto Nacional de Seguridad y Salud en el Trabajo (INSST) para el año 2018.

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Type	Value
2,2',2''-nitrilotriethanol CAS No: 102-71-6 EC No: 203-049-8	DNEL (Workers)	Inhalation, Long-term, Local effects	5 (mg/m ³)
	DNEL (General population)	Inhalation, Long-term, Local effects	1,25 (mg/m ³)

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019
Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 5 of 12
Print date: 11/06/2020

	DNEL (Workers)	Inhalation, Long-term, Systemic effects	5 (mg/m ³)
	DNEL (General population)	Inhalation, Long-term, Systemic effects	1,25 (mg/m ³)
	DNEL (Workers)	Dermal, Long-term, Systemic effects	6,3 (mg/kg bw/day)
	DNEL (General population)	Dermal, Long-term, Systemic effects	3,1 (mg/kg bw/day)
	DNEL (General population)	Oral, Long-term, Systemic effects	13 (mg/kg bw/day)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
2,2',2"-nitrioltriethanol CAS No: 102-71-6 EC No: 203-049-8	aqua (freshwater)	0,32 (mg/L)
	aqua (marine water)	0,032 (mg/L)
	aqua (intermittent releases)	5,12 (mg/L)
	STP	10 (mg/L)
	sediment (freshwater)	1,7 (mg/kg sediment dw)
	sediment (marine water)	0,17 (mg/kg sediment dw)
	soil	0,151 (mg/kg soil dw)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %		
Uses:	Rodenticide bait for rodent pest control.		
Breathing protection:			
PPE:	Particle filter mask		
Characteristics:	«CE» marking, category III. Made of filtering material, it covers nose, mouth and chin.		
CEN standards:	EN 149		
Maintenance:	Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use.		
Observations:	Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment.		
Filter Type needed:	P2		
Hand protection:			
PPE:	Non-disposable protective gloves against chemicals.		
Characteristics:	«CE» marking, category III. Check the list of chemicals for which the glove has been tested.		
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420		
Maintenance:	A schedule for the periodical replacement of gloves should be established in order to guarantee their replacement before pollutants permeate them. The use of contaminated gloves could be more dangerous than not using gloves, since the pollutant can gradually accumulate in the glove's material.		
Observations:	They are to be replaced whenever tears, cracks or deformations are observed or when exterior dirt could reduce their strength.		
Material:	PVC (polyvinyl chloride)	Breakthrough time (min.): > 480	Material thickness (mm): 0,35
Eye protection:			
PPE:	Protective goggles against particle impacts.		
Characteristics:	«CE» marking, category II. Eye protector against dust and smoke.		

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019

Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 6 of 12

Print date: 11/06/2020

CEN standards:	EN 165, EN 166, EN 167, EN 168
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.
Skin protection:	
PPE:	Chemical protective clothing
Characteristics:	«CE» marking, category III. Clothing should fit properly. The level of protection must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes for the chemical to pass through the material.
CEN standards:	EN 464, EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.
Observations:	The protective clothing's design should facilitate correct positioning, staying in place without moving for the period of use expected, bearing in mind environmental factors as well as any movement or position the user might adopt while carrying out the activity.
PPE:	Anti-static safety footwear against chemicals.
Characteristics:	«CE» marking, category III. Check the list of chemicals against which the footwear is resistant.
CEN standards:	EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345
Maintenance:	For correct maintenance of this kind of safety footwear, it is necessary to observe the instructions specified by the manufacturer. The footwear should be replaced as soon as any sign of damage is observed.
Observations:	The footwear should be cleaned regularly and dried when damp, although it should not be placed too close to a source of heat in order to avoid any sharp changes in temperature.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance: Block bait

Colour: Blue

Odour: Odourless

Odour threshold: N.A./N.A.

pH: N.A./N.A.

Melting point: N.A./N.A.

Boiling Point: N.A./N.A.

Flash point: > 60 °C

Evaporation rate: N.A./N.A.

Inflammability (solid, gas): N.A./N.A.

Lower Explosive Limit: N.A./N.A.

Upper Explosive Limit: N.A./N.A.

Vapour pressure: N.A./N.A.

Vapour density: N.A./N.A.

Relative density: 1.10-1.20

Solubility: N.A./N.A.

Liposolubility: N.A./N.A.

Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A.

Decomposition temperature: N.A./N.A.

Viscosity: N.A./N.A.

Explosive properties: Not explosive

Oxidizing properties: Not oxidising

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

9.2 Other information.

Dropping point: N.A./N.A.

Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019

Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 7 of 12

Print date: 11/06/2020

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on toxicological effects.

Toxicological information about the substances present in the composition.

Name	Acute toxicity			
	Type	Test	Kind	Value
2,2',2"-nitrioltriethanol CAS No: 102-71-6 EC No: 203-049-8	Oral	LD50	Rat	5530 mg/kg bw [1]
		LD50	Rat	6400 mg/kg bw [2]
	Dermal			[1] National Technical Information Service. Vol. OTS0516797 [2] Study report, 1966.
Brodifacoum CAS No: 56073-10-0 EC No: 259-980-5	Dermal	LD50	Rabbit	> 22500 mg/kg bw [1]
	Inhalation			[1] Union Carbide Data Sheet. Vol. 3/18/1965
	Oral	LD50	male mice	0.4 mg/ kg bw [1]
			[1] The Pesticide Manual, 15th Edition	
Dermal	LD50	female rats	3.16 mg/kg bw [1]	
	LD50	male rats	5.21 mg/kg bw [2]	
			[1] The Pesticide Manual, 15th Edition [2] The Pesticide Manual, 15th Edition	
Inhalation	LC50	female rats	3.05 ug/l (4h) [1]	
	LC50	male rats	4.86 ug/l (4h) [2]	
			[1] The Pesticide Manual, 15th Edition [2] The Pesticide Manual, 15th Edition	

a) acute toxicity;
Not conclusive data for classification.

b) skin corrosion/irritation;
Based on available data, the classification criteria are not met.

c) serious eye damage/irritation;
Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019
Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 8 of 12
Print date: 11/06/2020

Not conclusive data for classification.

e) germ cell mutagenicity;
Not conclusive data for classification.

f) carcinogenicity;
Not conclusive data for classification.

g) reproductive toxicity;
Product classified:
Reproductive toxicant, Category 1A: May damage fertility or the unborn child.

h) STOT-single exposure;
Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;
Product classified:
Specific target organ toxicity following a repeated exposure, Category 2: May cause damage to organs through prolonged or repeated exposure.

j) aspiration hazard;
Not conclusive data for classification.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Name	Ecotoxicity			
	Type	Test	Kind	Value
2,2',2"-nitrilotriethanol	Fish	LC50	Carassius auratus	>5000 mg/L (24 h) [1]
		LC50	Leuciscus idus	>10000 mg/l (48 h) [2]
				[1] Experimental result, Study meets generally accepted scientific principles. however, exposure period only 24 h instead of 96 h according to recent guidelines (e.g. OECD 203). [2] Study meets generally accepted scientific principles. however, exposure period only 48 h instead of 96 h according to recent guidelines (e.g. OECD 203)
	Aquatic invertebrates	EC50	Artemia salina	5600 mg/L (24 h) [1]
		EC50	Daphnia magna	2038 mg/l (24 h) [2]
				[1] Brine shrimp bioassay and seawater BOD of petrochemicals. Price KS, Waggy GT and Conway RA, 1974. [2] Results of the harmful effects of water pollutants to Daphnia magna in the 21 day reproduction test. Kuehn R, Pattard M, Pernak KD and Winter A. 1989.
	Aquatic plants	EC0	Colpoda	
		TTC	Scenedesmus quadricauda	160 mg/l [1]
		EC50	Scenedesmus subspicatus	715 mg/l (8 d) [2] 750 mg/l (48 h) [3]

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019
Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 9 of 12
Print date: 11/06/2020

CAS No: 102-71-6 EC No: 203-049-8		[1] Handbook of Environmental Data on Organic Chemicals, 2nd ed. Van Nostrand Reinhold Co., New York, USA: 518-519. [2] Testing of substances for their toxicity threshold: Model organisms Microcystis(Diplocystis) aeruginosa and Scenedesmus quadricauda. [3] Results of the harmful effects of water pollutants to green algae (Scenedesmus subspicatus) in the cell multiplication inhibition test.
Brodifacoum	Fish	LC50 bluegill sunfish 0.165 mg/l (96h) [1] LC50 Rainbow trout 0.04 mg/l (96h) [2] [1] The Pesticide Manual, 15th Edition [2] The Pesticide Manual, 15th Edition
	Aquatic invertebrates	LC50 Daphnia magna >0.04 mg a.i./l (48h) [1] [1] The Pesticide Manual, 15th Edition
	Aquatic plants	ErC50 Selenastum capricornutum >0.04 mg/l (72h) [1] [1] The Pesticide Manual, 15th Edition
CAS No: 56073-10-0 EC No: 259-980-5		

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name	Bioaccumulation			
	Log Pow	BCF	NOECs	Level
sucrose CAS No: 57-50-1 EC No: 200-334-9	-2,7	-	-	Very low
2,2',2"-nitrilotriethanol CAS No: 102-71-6 EC No: 203-049-8	-1	-	-	Very low

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.
Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019

Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 10 of 12

Print date: 11/06/2020

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description:

ADR: Not classified as hazardous for transport.

IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

14.6 Special precautions for user.

Not applicable. Transportation is not dangerous.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

Transportation is not dangerous.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product is not affected by Directive 2012/18/EU (SEVESO III).

Information related to Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products:

Numbers/approval status/national authorization:

ES/RM-2015-14-00265

Numbers/approval status/European authorization:

N.A.

Product Type	Group
Rodenticides	Pest control

Active substances	Concentration %
Sorbic Acid CAS No: 110-44-1 EC No: 203-768-7	0,1
bronopol (INN); 2-bromo-2-nitropropane1,3-diol CAS No: 52-51-7 EC No: 200-143-0	0,05
Brodifacoum CAS No: 56073-10-0 EC No: 259-980-5	0,005

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019

Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 11 of 12

Print date: 11/06/2020

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.
H372	Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.(sangre)
H373	May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.(sangre)
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 1 : Acute toxicity (Dermal), Category 1
Acute Tox. 1 : Acute toxicity (Inhalation), Category 1
Acute Tox. 1 : Acute toxicity (Oral), Category 1
Acute Tox. 4 : Acute toxicity (Dermal), Category 4
Acute Tox. 4 : Acute toxicity (Oral), Category 4
Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1
Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1
Eye Dam. 1 : Serious eye damage, Category 1
Repr. 1A : Reproductive toxicant, Category 1A
Skin Irrit. 2 : Skin irritant, Category 2
STOT RE 1 : Specific target organ toxicity following a repeated exposure, Category 1
STOT RE 2 : Specific target organ toxicity following a repeated exposure, Category 2
STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3

Changes regarding to the previous version:

- Removal of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Changes in the composition of the product (SECTION 3.2).
- Modification of ecological information values (SECTION 12.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- National legislative changes (SECTION 15.1).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

BCF:	Bioconcentration factor.
CEN:	European Committee for Standardization.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

MAXIRAT PLUS 5.0 BLOQUE (Brodifacoum 0.005% w/w block bait)



Version 1 Date of compilation: 14/02/2019

Version 5 (replaces version 4)

Revision date: 11/06/2020

Page 12 of 12

Print date: 11/06/2020

- DREL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
- DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
- EC50: Half maximal effective concentration.
- PPE: Personal protection equipment.
- LC50: Lethal concentration, 50%.
- LD50: Lethal dose, 50%.
- Log Pow: Logarithm of the partition octanol-water.
- NOEC: No observed effect concentration.
- PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2015/830.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.